




MediaGrille®

Outdoor LED Display

E 10C
Elite display

2018-V1.0




PRODUCT SPECIFICATIONS

Product Model	E-10C		
Material	Aluminum Body & PC Mask (can customize the color)		
LED Lamp	SMD3535 (1R1G1B)		
Pixel Pitch	10 mm /10.66mm		
Resolution	9380 dot/m ²		
Unit Permutation	Horizontal Vertical		
Unit Size	1440×256mm (Horizontal)	256×1440mm (Vertical)	(Length can be customized)
Resolution/unit	144×24 dots (Horizontal)	24×144dots (Vertical)	;
Brightness	Flagship LED : 4500-5000 nit Premium High Brightness LED: 6000-6500 nit		
Weight	(H)120°×(V)120°		
View Angle	18 kg/m ²		
Input Voltage	AC 110 -240 V		
Power Consumption	Max. 800 w/m ² Avg. 260 w/m ²		
Installation	Front & Back		
Protection	IP67		
Gray Scale	RGB 16384 bit (3×14bit)		
Refresh Rate	≥ 1920 Hz		
Frame Rate	≥ 60 Hz		
Working environment	Temperature: -30℃ to +60℃; Humidity: 10%-90%		
Control system	JV-A JV-N		

※ Parameters will change according to the specific project

PRODUCT APPEARANCE



TECHNICAL DRAWING TECHNICAL DRAWING

1440mm (Length can be customized)

